
CONSTRUCTION TECHNOLOGY





FIXING SYSTEM



CONSTRUCTION TECHNOLOGY

FIXING SYSTEM


Construction experts consider that Regbar Ballustrade Fixings are particularly suitable for fixing balustrade connections to thin edges of balcony plates.

Cast-in Channels

- ➤ Standard tensile profile runs along the entire length of the part and allows most standard devices to be placed anywhere between the bars
- ➤ Sring steel retaining strap can be manually locked in place for a tool-free installation
- ► Ready to use outside of the box and eliminates the need for cutting struts
- ► Pre-cut design, transported and stored more easily than standard strut lengths
- Suitable for two-dimensional static loads
- Suitable for use in building components with fire protection requirements
- Suitable for mounting in concrete pressure and concrete tension zones
- ► High corrosion resistant steel versions are available
- Hot rolled profiles available for fatigue-related effects



Cast-in Channels - Dimensions



Product Code	L1	L2	L3	L4	L5
	[mm]	[mm]	[mm]	[mm]	[mm]
RGCIC01200	200	23	40	56	150
RGCIC01250	250	23	40	56	200
RGCIC01350	350	23	40	56	150
RGCIC01500	500	23	40	56	150
RGCIC013050	3050	23	40	56	150

HEADQUARTERS

Caferağa Mah. Albay Faik Sözdener Cad. No:7/23 Kadıköy - İstanbul - TURKEY **Phone:** +90 216 405 21 55 pbx **E-mail:** info@regbar.com

PLAN1

Sanayi Mah. İzmit Sanayi Sitesi 13. Cadde 318 Blok Apt. No: 318/132 No:9 İzmit - Kocaeli - TURKEY **Mobile:** +90 541 932 37 51

RUSSIA BRANCH

Lesnaya Plaza 4, 4th Lesnoy Pereulok No: 24/8 125047 Moscow / RUSSIA














Balustrade Fixings

Construction experts consider that Regbar Ballustrade Fixings are particularly suitable for fixing balustrade connections to thin edges of balcony plates.

Easily placed Ballustrade Fixings and corresponding high-tension Regbar Bolts A4 - 70 enable the railing posts to be attached to the surface of concrete plates which are at least 100 mm thick and this provides a reliable and statically robust connection. This is possible with special back anchorage of reinforcement steel with swaged anchor heads.



Cast-in Channels Long

Construction experts consider that Regbar Ballustrade Fixings are particularly suitable for fixing balustrade connections to thin edges of balcony plates.

Easily placed Ballustrade Fixings and corresponding high-tension Regbar Bolts A4-70 enable the railing posts to be attached to the surface of concrete plates which are at least 100 mm thick and this provides a reliable and statically robust connection. This is possible with special back anchorage of reinforcement steel with swaged anchor heads.



Curtain Wall System

Regbar Curtain Wall System is used to fix the curtain wall elements quickly, safely and economically to the main structure of the building.

Different brackets are available to allow mounting on the top or edge of concrete plates. Regbar Curtain Wall System connection channel can be used three dimensional, adjustable, quick installation and efficiently recuperate tolerances on-site.



HEADQUARTERS

Caferağa Mah. Albay Faik Sözdener Cad. No:7/23 Kadıköy - İstanbul - TURKEY **Phone:** +90 216 405 21 55 pbx

E-mail: info@regbar.com

PLANT

Sanayi Mah. İzmit Sanayi Sitesi 13. Cadde 318 Blok Apt. No: 318/132 No:9 İzmit - Kocaeli - TURKEY **Mobile:** +90 541 932 37 51

RUSSIA BRANCH

Lesnaya Plaza 4, 4th Lesnoy Pereulok No: 24/8 125047 Moscow / RUSSIA













www.**regbar**.com info@regbar.com

HEADQUARTERS

Caferağa Mah. Albay Faik Sözdener Cad. No:7/23 Kadıköy - İstanbul - TURKEY **Phone:** +90 216 405 21 55 pbx

E-mail: info@regbar.com

PLANT

Sanayi Mah. İzmit Sanayi Sitesi 13. Cadde 318 Blok Apt. No: 318/132 No:9 İzmit - Kocaeli - TURKEY **Mobile:** +90 541 932 37 51

RUSSIA BRANCH

Lesnaya Plaza 4, 4th Lesnoy Pereulok No: 24/8 125047 Moscow / RUSSIA